

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

DATE MAILED: 12/11/2006

APPLICATION NO.	CATION NO. FILING DATE		FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO
10/560,803			Ewen A. Campbell	1200317 N	8902
35227	7590	12/11/2006		EXAMINER	
POLYONE CORPORATION				SZEKELY, PETER A	
33587 WALI AVON LAK			•	ART UNIT	PAPER NUMBER
· · · · · · · · · · · · · · · · · · ·				1714	-

Please find below and/or attached an Office communication concerning this application or proceeding.

U.S. Patent and Trademark Office

DETAILED ACTION

1. The amendment filed 11/22/06 has been entered.

2. The Final Rejection imposed on 8/22/06 has been withdrawn by the examiner.

Specification

3. The disclosure is objected to because of the following informalities: On page 2, line 26 "flame-retardant" is misspelled.

Appropriate correction is required.

Claim Objections

- 4. Claim 8 is objected to under 37 CFR 1.75(c), as being of improper dependent form for failing to further limit the subject matter of a previous claim. Applicant is required to cancel the claim(s), or amend the claim(s) to place the claim(s) in proper dependent form, or rewrite the claim(s) in independent form. The ethylene-octene copolymer is already claimed in claim 1.
- 5. Claim 19 is objected to because of the following informalities: The claim still claims a backing laminated to an adhesive. A backing is laminated using an adhesive or with an adhesive. Appropriate correction is required.

Claim Rejections - 35 USC § 103

- 6. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.
- 7. Claims 1, 5-12 and 14-20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Compco PTY Ltd. WO 03/082966, in view of Fukui et al. 5,091,462,

Application/Control Number: 10/560,803

Art Unit: 1714

Hayashi et al. 5,889,087,Hayashi et al. 6,232,377, Ebrahimian et al. 6,492,453,Schall et al. 6,750,282 or Fukatami et al. 6,924,334.

8. Compco discloses a blend of a plastomer and an elastomer, where the plastomer can be HDPE, MDPE, LDPE OR EVA and the elastomer can be an ethylene-octene copolymer. See claims 22-25. Intercalated nanofiller is shown in claim 1, metal hydroxides in claims 49 and 51, zinc borate and zinc metaborate on page 14, line 13 and laminates on page 4, lines 19-20. The secondary references are cited only to show that the amount of metal hydroxides used with a polyolefin/nanofiller combination or with just flame-retardant polyolefins customarily exceeds 65 parts by weight. References must be considered for all they disclose and must not be limited to their preferred embodiments or working examples. In re Mills 176 USPQ 196 (CCPA 1972). The obviousness rejection is maintained.

Allowable Subject Matter

9. Claim 4 is objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Conclusion

10. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

Application/Control Number: 10/560,803

Art Unit: 1714

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later

11. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Peter Szekely whose telephone number is (571) 272-1124. The examiner can normally be reached on 7:00 a.m.-5:30 p.m. Tuesday-Friday.

than SIX MONTHS from the date of this final action.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Vasu Jagannathan can be reached on (571) 272-1119. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Page 5

Application/Control Number: 10/560,803

Art Unit: 1714

.

Patent Application Information Retrieval (PAIR) system. Status information for

published applications may be obtained from either Private PAIR or Public PAIR.

Status information for unpublished applications is available through Private PAIR only.

Information regarding the status of an application may be obtained from the

For more information about the PAIR system, see http://pair-direct.uspto.gov. Should

you have questions on access to the Private PAIR system, contact the Electronic

Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a

USPTO Customer Service Representative or access to the automated information

system, call 800-786-9199 (IN USA OR CANADA) or 57,1-272-1000.

Peter Szekely

Primary Examiner

Art Unit 1714

P.S. 12/4/06